

JUVO care™

Hygiene

# Mobile shower commodes & accessories





# Contents

<b>Features &amp; benefits</b> .....	6
--------------------------------------	---

## **Mobile shower commodes**

### Attendant propelled

Sliding footplate .....	14
-------------------------	----

Swing-away footrests .....	18
----------------------------	----

### Self-propelled

Sliding footplate .....	24
-------------------------	----

Swing-away footrests .....	26
----------------------------	----

<b>Tilt-in-space</b> .....	32
----------------------------	----

<b>TRIX shower chair</b> .....	36
--------------------------------	----

<b>Transfer bench</b> .....	40
-----------------------------	----

<b>Accessories</b> .....	44
--------------------------	----

## **General information**





# Features & benefits

---


# Features & benefits



**Robust durable frame**  
Grade 304 stainless steel  
Thick heavy wall tubing



**Reinforced seat/back frame & armrests**  
Doesn't bend under heavy weight



**Safe working load (SWL) & unique serial number**  
Etched & coloured on the plate



**Deeper access from the front**  
For easy hygiene



**Open rear space**  
For positioning over the toilet



**3 side cut-out seat frame**  
Allowing for left/ right/ front cut-out seats without modification  
3000, 4000 & 5000 series



**Swing-away independent armrests**  
To assist in side transfer and user access



**Height adjustable**  
2 positions



**Locking safety arms**  
For user security



**Open armrest design**  
Smaller commode can be used in tight spaces. Allowing for natural hip and thigh prominence. Eliminating 'pinch point' between armrest and seat



**Weightbearing drop arms for bariatric models**  
To assist with side transfer



**Non-slip, laser etched sliding footplate**  
Comfort grip, foot operated



**"TearSafe" swing-away footrest**  
Prevents injury to user's legs.  
No plates or sharps remain when swung away  
(Juvo registered design)



**4 total locking stainless steel castors**  
(Juvo registered design)



**Quick release wheels with push rims**  
For effortless manoeuvring





**Removable backrest**  
on 3000, 4000 & 5000 series  
to enable alternatives  
as a wheelchair style backrest



**Non-woven backrest**  
Contours the body. 4 cleaning points.  
Antibacterial, non-suction backstraps —  
to avoid skin tear when user is wet



**Pan carrier glides**  
Included as standard



**Self-supporting bowl carrier**  
Can be removed halfway, stays in place  
while the bowl is being emptied



**Seating**

Soft, seamless, easy removable.  
2 types: PU and Impress



**Removable seat  
"Klipps" system**

(Juvo registered design)



**Anti-tip bar**  
as standard



**Amputee setting**

Reversible axle bracket to improve stability



**Folding models**

Designed to be transported  
in a vehicle



**Detachable tilt handle**

Enabling carer to stand either side of user when  
reclining for extra care and controlled release





# Mobile shower commodes

---


Attendant propelled

1000 & 2000 series

A mobile shower commode unit is shown in a bathroom setting. The unit is white and has a curved front. It is positioned in front of a white shower pan. To the left of the unit is a white cabinet with three shelves. The floor is light-colored, and there is a white rug in the foreground.

## Sliding footplate

Non-slip, laser etched, weight bearing sliding footplate  
Extra wide seat widths available



7

Seat widths



Standard model shown



Non-slip, laser etched, weight bearing sliding footplate



Swing-away arm



Removable seat. Juvo registered Klipps system

## Hybrid

Easily transforms into self-propelled commode.



## Bariatric + drop arm

Reinforced drop arm to assist with side transfer positioning.



## Specifications



SKU	JH1041A	JH1046A	JH1046HCO hybrid
Seat width	410	460	
Width between arms	440	490	
Seat depth	435		
Seat height			
Anterior	595		
Posterior	565		
Seat to heel	400		
Width overall	490	540	
Height overall	1020		
Depth overall	800		
Armrest height from seat			
High	240		
Low	200		
Backrest height to top strap	340		
Aperture, wall to rear	225		
Toilet bowl clearance max width x height	360x500	410x500	
Toilet bowl clearance underside pan glides max width x height	360x480	410x480	
Max user weight, kg	200		
Chair weight excluding seat, kg	12.4	12.8	12.8






SKU	JH1051A	JH1056A	JH1061A	JH1066A	JH1066DA drop arm	JH1071A
Seat width	510	560	610	660	660	710
Width between arms	540	590	640	690	690	740
Seat depth	435					
Seat height						
Anterior	595					
Posterior	565					
Seat to heel	400					
Width overall	590	640	690	740	740	790
Height overall	1020					
Depth overall	850					
Armrest height from seat						
High	240				240	240
Low	200				0	200
Backrest height to top strap	340					
Aperture, wall to rear	225					
Toilet bowl clearance max width x height	460x500	510x500	560x500	610x500	610x500	660x500
Toilet bowl clearance underside pan glides max width x height	460x480	510x480	560x480	610x480	610x480	660x480
Max user weight, kg	300				400	
Chair weight excluding seat, kg	13.5	14.05	14.4	15.45	16	16

# Swing-away footrests

Swing-away, "TearSafe", Juvo registered design footrests  
Seat height adjustable and folding models available



7

Seat widths



Bariatric model shown



Swing-away, "TearSafe",  
Juvo registered design footrests



Swing-away arm



Removable seat.  
Juvo registered Klipps system

## Paediatric

Shower commode that 'grows' with a child.  
Adjustable seat depth & backrest angle



## Seat height adjustable models

4 height adjustment settings at 30mm.



## Hybrid

Easily transforms into self-propelled commode.



Specifications



SKU	JH2036A-1 paediatric	JH2041A	JH2041A-1 seat height adjustable	JH2046HCO hybrid	JH2046A	JH2046A-1 seat height adjustable	JH2146A folding
Seat width	360	410		460			
Width between arms	390	440		490			
Seat depth	270–340 adjustable 3 settings at 30mm	435					
Seat height			adjustable 4 settings at 30mm			adjustable 4 settings at 30mm	
Anterior	595	595	505–595	595	595	505–595	595
Posterior	505	505	475–565	505	505	475–565	565
Seat to heel	320×575						
Width overall	540	490		540			
Height overall	1020						
Depth overall	850						
Armrest height from seat							
High	240						
Low	200						
Backrest height to top strap	340						
Aperture, wall to rear	290	225					
Toilet bowl clearance max width x height	470×500	360×500		410×500			
Toilet bowl clearance underside pan glides max width x height	470×480	360×480		410×480			
Max user weight, kg	136	200					
Chair weight excluding seat, kg	14.6	12	12.9	13	13.1	14	14



SKU	JH2051A	JH2051A-1 seat height adjustable	JH2056A	JH2061A	JH2066A
Seat width	510		560	610	660
Width between arms	540		590	640	690
Seat depth	435				
Seat height		adjustable 4 settings at 30mm			
Anterior	595	505–595		595	
Posterior	565	475–565		565	
Seat to heel	320×575				
Width overall	590		640	690	740
Height overall	1020				
Depth overall	900				
Armrest height from seat					
High	240				
Low	200				
Backrest height to top strap	340				
Aperture, wall to rear	225				
Toilet bowl clearance max width x height	460×500		510×500	560×500	610×500
Toilet bowl clearance underside pan glides max width x height	460×480		510×480	560×480	610×480
Max user weight, kg	300				
Chair weight excluding seat, kg	14	15	14.5	15	15.5





# Mobile shower commodes

---

Self-propelled

3000 & 4000 series



The image shows a mobile shower commode unit in a bathroom. The unit is white and has a curved, rounded front. It is positioned in the corner of a room with light-colored walls and a light-colored floor. To the left of the unit is a white cabinet with three shelves. The unit is partially covered by a white towel or mat. The overall scene is clean and modern.

## Sliding footplate

Non-slip, laser etched, weight bearing sliding footplate  
Extra wide seat widths available



5

Seat widths



Standard model shown



Non-slip, laser etched, weight bearing sliding footplate



Swing-away arm



3-side cutout seat frame



## Specifications



SKU	JH3046A	JH3051A	JH3056A	JH3061A	JH3066A
Seat width	460	510	560	610	660
Width between arms	490	540	590	640	690
Seat depth	435				
Seat to heel	400				
Width overall	660	710	760	810	860
Height overall	1020				
Depth overall	950	1000			
Armrest height from seat					
High	240				
Low	200				
Backrest height to top strap	340				
Aperture, wall to rear	325				
Toilet bowl clearance max width x height	410×500	460×500	510×500	560×500	610×500
Toilet bowl clearance underside pan glides max width x height	410×480	460×480	510×480	560×480	610×480
Max user weight, kg	200	300			
Chair weight excluding seat, kg	18	19	20	21	22

# Swing-away footrests

Swing-away, "TearSafe", Juvo registered design footrests  
Seat height adjustable and folding models available



6

Seat widths



Standard model shown



Swing-away, "TearSafe",  
Juvo registered design footrests



Swing-away arm



3-side cutout seat frame

## Seat height adjustable models

4 height adjustment settings at 30mm.



## Folding models

The folding shower commode chair is specifically designed to be transported in a vehicle.

By removing the seat and backrest, the commode can be folded up and placed easily into the cargo space of vehicles.



## Specifications



SKU	JH4041A	JH4041A-1 seat height adjustable	JH4141A folding	JH4046A	JH4046A-1 seat height adjustable	JH4146A folding
Seat width	410			460		
Width between arms	440			490		
Seat depth	435					
Seat height 4 settings at 30mm						
Anterior	595	505–595	595	595	505–595	595
Posterior	565	475–565	565	565	475–565	565
Seat to heel	320×575					
Width overall	610			660		
Height overall	1020					
Depth overall	950					
Armrest height from seat						
High	240					
Low	200					
Backrest height to top strap	340					
Aperture, wall to rear	325					
Toilet bowl clearance max width x height	360×500			410×500		
Toilet bowl clearance underside pan glides max width x height	360×480			410×480		
Max user weight, kg	200					
Chair weight excluding seat, kg	18.5	19	22	19	19.5	22.5



SKU	JH4051A	JH4051A-1 seat height adjustable	JH4151A folding	JH4056A	JH4061A	JH4066A
Seat width	510			560	610	660
Width between arms	540			590	640	690
Seat depth	435					
Seat height 4 settings at 30mm						
Anterior	595	505–595	595		595	
Posterior	565	475–565	565		565	
Seat to heel	320×575					
Width overall	710			760	810	860
Height overall	1020					
Depth overall	1000					
Armrest height from seat						
High	240					
Low	200					
Backrest height to top strap	340					
Aperture, wall to rear	325					
Toilet bowl clearance max width x height	460×500			510×500	560×500	610×500
Toilet bowl clearance underside pan glides max width x height	460×480			510×480	560×480	610×480
Max user weight, kg	300					
Chair weight excluding seat, kg	19.5	20	23	20	20.5	21





# Tilt in space

---

5000 series

# Tilt-in- space

Seat height adjustable,  
configurable tilt-in-space



Electric models  
available



Seat widths



Low back & headrest version



Adjustable seat height  
6 settings at 26 mm



Swing-away arm



Fully adjustable  
seat tilt



Removable backrest



## Specifications

SKU	Standard		Bariatric	
	JH5041A	JH5046A	JH5051A ⚡ JH5051A-E	JH5061A ⚡ JH5061A-E
Seat width	410	460	510	610
Width between arms	440	490	540	610
Seat height anterior 6 settings at 26mm	510–660			
Seat height posterior 6 settings at 26mm	480–630			
Seat to heel	320×575			
Seat tilt angle	-5° to +38°			
Width overall	560		610	730
Height overall	1465–1615			
Depth overall — tilted	940–1600			
Armrest height from seat, low-high	200–240			
Backrest height to top strap	800			
Aperture, wall to rear	300			
Toilet bowl clearance height	450–600			
Toilet bowl clearance width	400	410	470	500
Toilet bowl clearance between pan carrier	315			
Max user weight, kg	200		300	
Chair weight excluding seat, kg	24	25	26	28





# TRIX shower chair

---

6000 series



# TRIX shower chair

Shower chair & stool  
Over toilet frame



Removable backrest



Removable armrest



Adjustable seat depth



Adjustable seat height

## Specifications

	Standard	Bariatric		Bariatric plus	
SKU	JH6046A	JH6051A	JH6061A	JH6071A	JH6091A
Seat width	460	510	610	710	910
Width between arms	510	560	660	760	960
Seat depth 5 settings at 25mm	470–570	470–570	470–570	470–570	495–595
Seat height 7 settings at 25mm	410–560				
Width overall	630	680	780	880	1080
Height overall	920–1100				
Depth overall	650–750				710–810
Armrest height from seat	210				
Backrest height to top strap	430				
Aperture, wall to rear	240–340				
Toilet bowl clearance max width x height	390 x 500	440 x 500	540 x 500	640 x 500	840 x 500
Toilet bowl clearance underside pan glides max width x height	390 x 480	440 x 480	540 x 480	640 x 480	840 x 480
Chair weight excluding seat, kg	13.5	14.1	15.35	16.6	17.7



# Transfer bench

---



# Transfer bench

Safely assists transfer into bath or shower



Suction feet



Removable armrest



Adjustable height



## Specifications

SKU	Aluminium	Stainless steel
	JH6060	JH6160
Seat width	680	
Seat depth	410	
Seat height 6 settings at 20mm	470–570	
Width overall	780	
Height overall	930	
Depth overall	550	
Armrest height from seat	220	
Backrest height from seat	360	
Bath rim clearance	390–490	
Max user weight, kg	130	200
Unit weight including seat, kg	5	8





# Accessories

---



# Armrests

### Padded armrest

pair  
fixings included



### Arm trough

JH102  
each  
fixings included



### Waterfall PU armrest

JH103  
pair  
fixings included



### 50mm extension safety arm with handgrip, spring and button

JH503EXT  
pair



Width, mm	SKU
40	JH101
50	JH100

### Transfer bar safety arm with handgrip, spring and button

JH503TB  
pair



### Lock down arm kit

JH305  
including bracket for use on lower  
armrest setting  
left&right pair



### Slip-on lock down arm kit

JH315  
pair or left/right  
no fixings required



# Backrests

## Short back style with headrest bucket

tilt-in-space  
1 strap high



## Angle adjustable backrest — 3 strap

self propelled  
340mm high to top strap



## Angle adjustable backrest — 4 strap

self propelled  
415mm high to top strap



## Wheelchair style backrest — 3 strap

self propelled & tilt-in-space  
340mm high to top strap



Width, mm	SKU			
410	JH121-41	JH123-41	JH123-41-4	JH124-41
460	JH121-46	JH123-46	JH123-46-4	JH124-46
510	JH121-51	JH123-51	JH123-51-4	JH124-51
560	—	JH123-56	JH123-56-4	JH124-56
610	JH121-61	JH123-61	JH123-61-4	JH124-61
660	—	JH123-66	JH123-66-4	JH124-66

## Wheelchair style backrest — 4 strap

self propelled & tilt-in-space  
415mm high to top strap



## Backrest extension — 4 strap

self propelled & tilt-in-space  
415mm high to top strap



## Backrest extension — 5 strap

self propelled & tilt-in-space  
490mm high to top strap



## Backrest extension — 6 strap

self propelled & tilt-in-space  
570mm high to top strap



Width, mm	SKU			
410	JH124-41-4	JH126-41	JH127-41	JH128-41
460	JH124-46-4	JH126-46	JH127-46	JH128-46
510	JH124-51-4	JH126-51	JH127-51	JH128-51
560	JH124-56-4	JH126-56	JH127-56	JH128-56
610	JH124-61-4	JH126-61	JH127-61	JH128-61
660	JH124-66-4	JH126-66	JH127-66	JH128-66

# Pan & bowl

## Bowl with lid & handle

JH150

grey




## Pan/bowl carrier



Width, mm	SKU
410	JH151
460	JH152
510	
560	
610	
660	

## Additional clip for cardboard wires pan holder

JH154



## Pan carrier rails

JH155



# Footplates/ leg options

## One piece footplate

for swing-away models



Seat width, mm	SKU
410	JH218-41
460	JH218-46
510	JH218-51
560	JH218-56
610	JH218-61
660	JH218-66
710	JH218-71

## Vertical legrest

for paediatric models  
left&right side



Left	JH219
Right	JH220

## Angle adjustable footrest

legrest lower only  
left&right side



Left	JH221
Right	JH222

## Elevating legrest

left&right side



Left	JH225
Right	JH226

## Stump support

left&right side



Left	JH227
Right	JH228

## Leg extension

JH229

left&right side



# Headrest

## Contoured headrest

JH200

adjustable  
with fixing clamp



## Small headrest alternative

JH201

PU part only



# Castor extensions bolt on

## 2 x castor extension 175mm rear

JH224

including 6 bolts  
excluding castor



## 2 x castor extension 75mm front

JH223

excluding castor





# Body support

## Chest/ pelvic strap

JH250  
adjustable



## Thoracic support

quick release  
swing-away left&right  
including JH540 clamp and PU cover for bolts



Left	JH252
Right	JH253

## Dropdown pommel

JH254  
height&depth adjustable



## Thoracic support

JH255  
cover only



## Calf support strap



Width, mm	SKU
410	JH256-41
460	JH256-46
510	JH256-51

# Polyurethane seating

## Impress seats 460mm width

including JH501 seat klipps and screws (set of 4)


JH-275-PC



JH-276-PC



JH-290-PC



## PU seats

including JH501 seat klipps and screws (set of 4)

JH-290


460mm width only



Width, mm	SKU
410	JH273
460	JH275

Width, mm	SKU
410	JH274
460	JH276
510	JH278
560	JH280
610	JH282
660	JH284
710	JH286
910	JH288


### Dimensions, mm




### Accessories

Aperture closure panel

JH-299




JH-298



## Miscellaneous items

**Oxygen bottle carrier**  
JH302



**Commode I.V. pole**  
JH301  
adjustable  
JH540 clamp included



**Height adjustment kit**  
JH310  
for swing-away models




**Cast stainless steel angle adjustable joint**  
JH547



**Self-propelling kit**

JH304

2 x JH530 22" wheels and push rim  
 2 x JH531 quick release axle  
 2 x reversible bracket  
 antitip bar pair including fixings



**Suitcase for folding models**

JH306







**Accessories toolkit**

JH307

castor spanner, template for JH304, template for PU arm pad and arm trough install included



# Commode dimension reference guide



## Materials & warranty

Part	Warranty period, years	Material	Grade	Finish
Frame	7	Stainless steel	304	Mirror
Castors	2	Stainless steel	304	Mirror
Fixings, bolts, nuts	2	Stainless steel	304/316	Mirror
Spring & button	2	Stainless steel	304/316	Mirror
Seat	2	Polyurethane	Anti-Bacterial	Smooth
Backrest straps	2	Polyurethane	Anti-Bacterial	Smooth
Hand grips	2	Polyurethane	Anti-Bacterial	Non-slip
Rear Wheels, self-propelled	2	Moulded plastic	Anti-Bacterial	Smooth
Armrests	2	Polyurethane	Anti-Bacterial	Smooth



Always innovating...

## Juvo Solutions PTY LTD

ABN 93 151 426 416

+61 8 6454 9960

[enquiries@juvo.com.au](mailto:enquiries@juvo.com.au)

[www.juvo.com.au](http://www.juvo.com.au)



Australian  
Standard

AS/NZS 3973:2009

TGA

Juvo Care  
Hygiene products  
are entered in  
the ARTG, 191619

Authorised Distributor